


SecureOzone

Italia

Ozone Generators Against Viruses and Bacteria
via Roma, 42 Campobasso
P.Iva IT 00790480701
Tel. +39 0874 92433
Cell. +39 392 920 5597
WhatsApp. +39 392 920 5597
Web: www.secureozone.it



SecureOzone

Ozone Generators Against Viruses and Bacteria
www.secureozone.it



SecureOzone

Ozone Generators Against Viruses and Bacteria
www.secureozone.it

We committed to the continuous improvement of products and processes, to provide users with high quality and reliable products and timely and efficient services, to fulfill corporate responsibility for environmental protection, resource conservation and pollution prevention.

In the future we will continue to produce diversified product to meet customer needs, strive to provide customers with better environmental protection product and services, and move towards the goal of first-class enterprise.



CONTENTS

Air Purifier

- 06--HE-250 Air purifier with 7 stages of purification systems
- 07--HE-223 Air purifier with 6 stages of purification systems
- 08--HE-221 Classic Air purifier with HEPA and Ionizer

Vehicle/Car air purifier

- 11--HE-150HG 4000mg/hour DC 12V Car air purifier

Ozone generator air purifier

- 12--HE-110 1200mg/hour
- 13--HE-150 3500mg/hour
- 14--HE-150R 4000mg/hour pluggable
- 15--HE-151N 5000mg/hour Digital remote
- 16--HE-151 5000mg/hour
- 17--HE-152R 7000mg/hour pluggable
- 18--HE-141A 3500-7000mg/hour
- 19--HE-141D 3500-7000mg/hour
- 20--HE-153 5000-10000mg/hour
- 21--HE-154 7000-14000mg/hour
- 22--HE-143 5000-20000mg/hour digital
- 23--HE-144 7000-28000mg/hour digital
- 24--HE-160A 15000mg/hour
- 25--HE-161A 30000mg/hour
- 26--HE-161N 30000mg/hour digital
- 27--HE-158P 14000mg/hour exhausts ventilation

Water and air ozone generator

- 28--HE-150Q 600mg/hour plastic ozone sterilizer
- 29--HE-150W 2000mg/hour water & air purifier
- 30--HE-140D 5000mg/hour water & air purifier
- 31--HE-145 5000mg digital water & air purifier

Parts and Accessories of Air purifier

SecureOzone

Commitment & vision & Value

Enterprise Tenet :
Create a beautiful living environment with continuous and innovative technology.

Enterprise Spirit:
Professional, diligence, innovation, leading. Team, achievement, mutual love, growth.

Quality Policy:
Committed to the continuous improvement of products and processes, to provide users with high quality and reliable products and timely and efficient services, to fulfill corporate responsibility for environmental protection, resource conservation and pollution prevention.

Quality Objectives:
The defect rate of the process is less than 1%, the pass rate of finished product is 100%, and the customer complaint rate is less than 0.5%.

Certificates
AUDITED SUPPLIER by SGS, patent certificate, CE,FCC and SAA etc
Obtained National High-Tech Enterprises by the Chinese government.



SecureOzone

Ozone Generators Against Viruses and Bacteria
www.secureozone.it



Air purifier function

Model	Pre-filter	HEPA	Carbon filter	UV light	Ionizer	Ozone	control
HE-250	✓	✓	✓	✓	✓	✓	remote control
HE-223	✓	✓		✓	✓	✓	manual
HE-221		✓	optional		✓	✓	manual

Applications of Air purifier:

Home, Office, Restaurant, Hotel, Motel, Smoking areas, Basement, Veterinary hospital, Day care Center, Pet House, RV, Car, Boat, Clinic, School

HE-250


7 stages of air purification processes:

Pre-filter+ HEPA filter+ Carbon filter+ Photo-catalytic filter+UV light+Ionizer +Ozone

Features:

- 1.5 speed settings
2. Safety features: Power auto-off protection when back cover removed
3. Double fuses to make sure it work perfectly
4. UV and Ozone can be on/off separately.
5. large air flow, low noise level.
6. UL CE listed electronic components such as fan, UV light, etc.
7. Easy maintenance and replacement the air filters, back cover can pull out by hand.
8. Pre-filter special for large particulate.

Function details:



black



cherry



acrylic

Power consumption: 40W

Input voltage: 110-120V/220-240V/50-60Hz

Air cleaning efficiency: 99%

Ozone output: 360mg/hour(2 ozone plates)

Ion Output: $\geq 5 \times 10^6 \text{ cm}^3$ (or $\geq 2.5 \times 10^6 \text{ /cm}^3$)

UV Spectrum: 500uw/cm²(at 10cm-distance)

Air flow Volume: 106 CFM(3m³/min)

Product size: 270x210x300mm

Packing size: 345x285x375mm

N.W./G.W.: 5.3KGS/6.3KGS

Application Area: 500 square feet

20GP/40GP/40HQ: 800/1600/1800PCS

HE-221

Classic air purifier ionizer+ozone generator

stainless steel inner structure, cherry, black and walnut for optional HEPA or Carbon filter for optional

Features:

1. Easy replacement of HEPA filter and ozone plate (2 plates, 115x115mm)
2. Double fuses to make sure it work perfectly
3. Fan speed: Low, Medium, High
4. Built-in ionizer



cherry



acrylic



black

Power consumption: 40W
Input voltage: 110-120V/220-240V/50-60Hz
Air cleaning efficiency: 99.7%
Ozone output: 360mg/hour(2 ozone plates)
Ion Output: $\geq 5 \times 10^6 \text{ cm}^3$ (or $\geq 2.5 \times 10^6 \text{ /cm}^3$)

UV Spectrum: 500uw/cm²(at 10cm-distance)
Air flow Volume: 106 CFM(3m³/min)
Product size: 270x210x300mm
Packing size: 345x285x375mm
N.W./G.W.: 5.0KGS/6.0KGS

Application Area: 500 square feet
20GP/40GP/40HQ: 800/1600/1800PCS



black



cherry



back side

Power consumption: 40W

Input voltage: 110-120V/220-240V/50-60Hz

Air cleaning efficiency: 99.7%

Air flow Volume: 160CFM(3m³/min)

Ozone output: 360mg/hour(2 ozone plates)

Ion Output: $\geq 5 \times 10^6 \text{ cm}^3$ (or $\geq 2.5 \times 10^6 \text{ /cm}^3$)

Product size: 250x204x314mm

Packing size: 330x285x385mm

N.W./G.W.: 5.4KGS/6.3KGS

Application Area: 500 square feet

20GP/40GP/40HQ: 850/1700/1800PCS

Optional: HE-221A ionizer +ozone +HEPA or Carbon filter
HE-221B ionizer +ozone

HE-223

6 stages of air purification processes:

HEPA filter+carbon filter+ photo-catalytic filter+ UV light +ionizer+ ozone

Features:

1. Two LED lights on the front panel, one for working status, another for ozone indicator.
2. Safety features: Power auto-off protection when back cover removed
3. Double fuses to make sure it work perfectly
4. Infinitely variable speed fan, UL listed
5. Easy maintenance and replacement the air filters, back cover can pull out by hand.
6. Built-in ionizer


SecureOzone

Ozone Generators Against Viruses and Bacteria
www.secureozone.it



Applications:

Eliminates odors from mold, Breaks down contaminants on surfaces, cigarette/cigar smoke, pet odors, paint/cleaning fumes, dust, pollen, for home, hotel, office building, airplanes, restaurant, school, food plants, gymnasium, warehouse etc.



09

HE-150H

Vehicle/Car air purifier, Pluggable Ozone Generator DC12V

4000mg/hour ozone output, 3 hours timer. pluggable ozone module.
 one cigarette lighter for DC12V car using, one optional AC adapter for 110~240V home usage.

Features:

Pluggable ozone module, only need 1 second to replace, easy to clean too.
 Updated ozone plate, large sintering area, better heat dissipation and long working life.
 3-in-1 design, Ozone plate, plastic holder and heat sink, all in one module, compact and safety
 Newest plastic lock, only use one hand to remove and replace it, no screws.
 Power protection, it will be off automatically once remove the module.
 Over heat protection, one thermostat inner the module, power will be off if remove the module.
 Powerful, low noise level, portable, light. easy maintenance.



Power consumption: 55W
 Input voltage: DC12V
 Air flow Volume: 80CFM(2.4 m³/min)
 Noise: 40dB
 Ozone plate: 95x50mm/ 1pc

Product size: 202 x148 x 150 mm
 Packing size: 265X240X240mm
 N. W. /G. W.: 1.9KGS/2.5KGS

Application Area: 500 square feet
 Loading Qty: (20°/40°/40HQ: 2100/4300/5100PCS)

11




Commercial ozone generator

Water & Air purifier



Applications:

For air purifier, to remove bacteria and virus, cigarette/cigar smoke, for daily home using, car cleaning, boat cleaning etc.
 For water sterilizing, for food clean and restores, extends food life, for kitchen, SPA, small aquarium.



10

HE-110

Commercial Ozone generator air purifier 1200mg ozone output, 1 hour timer with continous function

Output control that will produce from 360mg up to 1200mg per hour of ozone, UV Light for optional

Features:

Foldable handle, large UV lamp, big air flow, 5.0kgs only, portable and easy maintenance

Adjustable ozone output:

HE-110H: 360~1200mg/hour (with HEPA filter), 3 ozone plates
 HE-130H: 360~1500mg/hour (with HEPA filter), 4 ozone plates



Power consumption: 40W
 Input voltage: 110-120V/220-240V/50-60Hz
 Air flow Volume: 106 CFM(3 m³/min)
 Ozone output: 360-1200mg/hour
 Ozone plate: 165*115mm/ 3pcs

Product size: 230 x230 x 290mm
 Packing size: 350X300X270mm
 N. W. /G. W.: 5.0KGS/6.0KGS

Application Area: 500 square feet
 20GP/40GP/40HQ: 1100/2200/2600PCS (HE-110)
 20GP/40GP/40HQ: 1200/2300/2700PCS (HE-110H)
 20GP/40GP/40HQ: 1000/2000/2300PCS (HE-130H)

12

HE-150

Mini Portable Ozone generator 3500mg/hour ozone output, 3 hours timer
Optional color: silver,black,stainless steel cabinet.

Features:
 Powerful,low noise level, portable, light. easy maintenance
 Utilizing controlled corona discharge ozone technology developed
 Heat sink to reduce the heat on the ozone plate
 All inner terminals are stainless steel,back filter is stainless steel too.
 Plastic protect box for timer and switch,more reliable
 High-powered oxidation in a compact,light weight,rugged,and simple design.
 High quality electronic parts,UL listed fan



black

silver

stainless steel

Power consumption: 55W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM(3 m³/min)
Ozone plate: 90°50mm/1pc

Product size: 205x175x150mm
Packing size: 265x240x210mm
N. W./G. W.: 2.0KGS/2.6KGS

Application Area: 600 square feet
20GP/40GP/40HQ: 2100/4300/5100PCS

HE-150R

HE-150R Newest Pluggable Ozone generator

4000mg/hour ozone output, 3 hours timer
 With pluggable ozone module

Features:
 Pluggable ozone module: only need 1 second to replace, easy to clean too.
 Updated ozone plate: large sintering area, better heat dissipation and long working life.
 3-in-1 design: Ozone plate, plastic holder and heat sink, all in one module, compact and safety
 Newest plastic lock: only use one hand to remove and replace it, no screws.
 Power protection : The machine will be off automatically once remove the module.
 Over heat protection: one thermostat inner the module, power will be off if remove the module.
 Powerful, low noise level, portable, light. easy maintenance



black+silver

back side

pluggable module

Power consumption: 65W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM(3 m³/min)
Noise: 40dB
Ozone plate: 95x50mm/ 1pc

Product size: 215 x 170 x 152 mm
Packing size: 260x240x210mm
N. W./G. W.: 2.5KGS/3.0KGS

Application Area: 500 square feet
Loading Qty: (20' /40' /40HQ: 2100/4300/5100PCS)


HE-151N

HE-151N Digital Portable Ozone generator
5000mg/hour ozone output, 3 hours timer

Digital timer control, from 15 minutes to 3 hours.
 ozone adjustable from 20% to 100%
 Interval function: 12 hours or 24 hours

Features:
 Powerful, low noise level, portable, light. easy maintenance
 Big LCD screen, more clear and easy to use.
 Interval function for circle using, more convenient for daily using
 Updated ozone plate, large sintering area, better heat dissipation and long working life.
 Heat sink to reduce the heat on the ozone plate

Display details



black+silver

black+silver

back side

Power consumption: 80W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM(3 m³/min)
Ozone plate: 90°70mm / 1pc

Product size: 238x170x217mm
Packing size: 270x245x250mm
N. W./G. W.: 2.6KGS/3.2KGS

Application Area: 800 square feet
Loading Qty: (20' /40' /40HQ: 1800/3900/4300PCS)

HE-151

Mini Portable Ozone generator 5000mg/hour ozone output,3 hours timer
Optional color: silver,black,stainless steel cabinet.

Features:
 Powerful, low noise level, portable, light. easy maintenance
 Utilizing controlled corona discharge ozone technology developed
 Heat sink to reduce the heat on the ozone plate
 All inner terminals are stainless steel,back filter is stainless steel too.
 Plastic protect box for timer and switch,more reliable
 High-powered oxidation in a compact,light, rugged,and simple design.
 High quality electronic parts,UL listed fan



black

silver

blue

Power consumption: 80W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM(3 m³/min)
Ozone plate: 90x70mm/1pc
Product size: 170x180x220mm

Packing size: 270x245x250mm
N. W./G. W.: 2.4KGS/2.9KGS

Application Area: 800 square feet
20GP/40GP/40HQ: 2100/4300/5100PCS

HE-152R

HE-152R Newest Pluggable Ozone Generator

7000mg/hour ozone output, 3 hours timer
With pluggable ozone module

Features:

Pluggable ozone module: only need 1 second to replace, easy to clean too.
Updated ozone plate: large sintering area, better heat dissipation and long working life.
3-in-1 design: Ozone plate, plastic holder and heat sink, all in one module, compact and safety
Newest plastic lock: only use one hand to remove and replace it, no screws.
Power protection: it will be off automatically once remove the module.
Over heat protection: one thermostat inner the module, power will be off if remove the module.
Powerful, low noise level, portable, light, easy maintenance



black+silver

back side

pluggable module

Power consumption: 85W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM(3 m³/min)
Noise: 40dB
Ozone plate: 95x70mm/ 1pc

Product size: 215x170x152 mm
Packing size: 260x240x210mm
N. W. /G. W.: 2.5KGS/3.0KGS

Application Area: 1000 square feet
Loading Qty: (20'/40'/40HQ: 2100/4300/5100PCS)

HE-141A

Portable Ozone generator

3500-7000mg/hour ozone output, 3 hours timer
Low level for 3500mg; High level for 7000mg
Optional color: stainless steel,black

Features:

Powerful, low noise level, portable, light, easy maintenance
Utilizing controlled corona discharge ozone technology developed
Heat sink to reduce the heat on the ozone plate
All inner terminals are stainless steel, back filter is stainless steel too.
Plastic protect box for timer and switch, more reliable
High quality electronic parts, UL listed fan



stainless steel

black

back side

Power consumption: 100W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM(3 m³/min)
Ozone plate: 90x50mm/2pcs
Product size: 265x210x190mm

Packing size: 310x280x255mm
N. W. /G. W.: 2.9KGS/3.5KGS

Application Area: 1200 square feet
20GP/40GP/40HQ: 1300/2600/3200PCS

HE-141D

Portable Ozone generator

33500-7000mg/hour ozone output, 3 hours timer, UV light for optional
Low level for 3500mg; High level for 7000mg
Optional color: blue and silver

Features:

Powerful, low noise level, portable, light, easy maintenance
Utilizing controlled corona discharge ozone technology developed
Heat sink to reduce the heat on the ozone plate
All inner terminals are stainless steel, back filter is stainless steel too.
Plastic protect box for timer and switch, more reliable
High quality electronic parts, UL listed fan



silver

blue

back side

Power consumption: 100W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM(3 m³/min)
Ozone plate: 90x50mm/2pcs
Product size: 265x210x190mm

Packing size: 310x290x260mm
N. W. /G. W.: 3.0KGS/3.9KGS

Application Area: 1200 square feet
20GP/40GP/40HQ: 1300/2600/3200PCS

HE-153

Portable Ozone generator for large space

5000-10000mg ozone output, 3 hours timer
Low level for 5000mg; High level for 10000mg

Features:

Powerful, low noise level, portable, light and easy maintenance
Ozone output can be adjusted from 5000mg to 10000 mg per hour
High quality electronic parts, UL listed fan
Heat sink to reduce the heat on the ozone plate
Stainless steel Pre-filter on the back of unit to remove large particle
All inner terminals are stainless steel,



black

stainless steel

silver

Power consumption: 150W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM(3 m³/min)
Ozone plate: 90x70mm/2pcs
Product size: 266x166x280mm

Packing size: 330x250x340mm
N. W. /G. W.: 3.45KGS/5.1KGS

Application Area: 1500 square feet
20GP/40GP/40HQ: 850/1800/2100PCS

HE-154

Powerful Ozone generator

7000-14000mg ozone output, 3 hours timer
Low level for 7000mg; High level for 14000mg,
2pcs 7G Ozone plales

Features:
Powerful, low noise level, portable, light and easy maintenance
Ozone output can be adjusted from 7000mg to 14000mg per hour
High quality electronic parts, UL listed fan
Heat sink to reduce the heat on the ozone plate
Pre-filter on the back of unit to remove large particle
All inner terminals are stainless steel, back filter is stainless steel too.



black



stainless steel



back side

Power consumption: 180W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM (3 m³/min)
Ozone output: 14000mg/hour
Ozone plate: 90x110mm/2pcs

Product size: 285x166x280mm
Packing size: 360x340x240mm
N. W. /G. W.: 3.75/5.3KG

Application Area: 2000 square feet
20GP/40GP/40HQ: 850/1800/2100PCS

HE-143

20000MG Powerful digital ozone generator with remote control

5000-20000mg ozone output
Grade from 1~4, adjustment from 5G, 10G, 15G and 20G
135 minutes timer, 9 levels (15 minutes each level)
4pcs 5G Ozone plales

Features and advantage:
Special designed for high ozone shock treatment.
By remote control/Manual on 19~32ft. (6~10m)
Larger fan with better air flow
Delay Designed, after turn off the machine, the fan and one ozone plate will delay one minute to cool the machine

LCD control panel



stainless steel



back side

Power consumption: 270W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 170 CFM (4.8 m³/min)
Ozone output: 5000-20000mg/hour
Ozone plate: 90x70mm / 4pcs

Remote control/Manual: 19~32ft. (6~10m)
Product size: 302x379x285mm
Packing size: 440x280x340mm
N. W. /G. W.: 6.2KG/7.36KG

Application Area: over 2000 square feet
20GP/40GP/40HQ: 550/1100/1300PCS


HE-144

28000MG Powerful digital ozone generator with remote control

7000-28000mg ozone output
Grade from 1-4, adjustment from 7G, 14G, 21G and 28G
135 minutes timer, 9 levels (15 minutes each level)
4pcs 7G Ozone plales

Features and advantage:
Special designed for high ozone shock treatment.
By remote control/Manual on 19-32ft. (6-10m)
Larger fan with better air flow
Delay Designed, after turn off the machine, the fan and one ozone plate will delay one minute to cool the machine

Function details:



stainless steel



back side

Power consumption: 350W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 170 CFM (4.8 m³/min)
Ozone output: 7000-28000mg/hour
Ozone plate: 90x110mm / 4pcs

Remote control/Manual: 19~32ft. (6~10m)
Product size: 202x379x285mm
Packing size: 440x280x340mm
N. W. /G. W.: 6.3KG/7.5KG

Application Area: over 2000 square feet
20GP/40GP/40HQ: 550/1100/1300PCS

HE-160A

15000mg ozone output, 3 hours timer Small size, Light weight, powerful, Strong and Durable

Features:
Newest model, compact, powerful also with very competitive price
Portable Mini Powerful Ozone Generator
3pcs high quality ceramic ozone plates. (more than 6000 hours)
Fuse in the back side of machine for safe
Timer Protect box for safe
Stainless steel pre-filter to remove large particle
High quality electronic parts, UL listed fan



black



back side

Power consumption: 120W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM (3 m³/min)
Noise: 40dB
Ozone plate: 104x50mm/3pcs

Product size: 200x160x180mm
Packing size: 220x250x240mm
N. W. /G. W.: 2.7KG/3.8KG

Application Area: over 1500 square feet
Loading Qty: (20'/40'/40HQ: 2200/4900/5300PCS)

HE-161A

Mini Powerful ozone generator

30000mg ozone output, 3 hours timer
Small size, Light, powerful, Strong and Durable
Adjustable ozone output, 15000mg/hour or 30000mg/hour

Features:
Compact, powerful also with very competitive price
6pcs high quality ceramic ozone plates. (over 6000 hours)
Two big fans, better for ozone output and product cooling
Timer Protect box for safe
Stainless steel pre-filter to remove large particle
High quality electronic parts, UL listed fan



black+silver



back side

Power consumption: 250W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 150CFM(4.2 m³/min)
Noise: 40dB
Ozone plate: 104x50mm/6pcs

Product size: 260x180x205mm
Packing size: 335x285x255mm
N. W. /G. W.: 4.5KGS/5.8KGS

Application Area: over 2000 square feet
Loading Qty: (20' /40' /40HQ: 1200/2600/2800PCS)

25

HE-161N

Digital Powerful ozone generator

30000mg ozone output, adjustable from 10% to 100%
Digital timer control, from 15 minutes to 3 hours.
Interval function, 12 hours or 24 hours

Features:
Compact, powerful also with very competitive price
Big LCD screen, more clear and easy to use.
Interval function for circle using, more convenient for daily using
6pcs high quality ceramic ozone plates. (over 6000 hours)
Two big fans, better for ozone output and product cooling



black+silver




back side

Power consumption: 250W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 150CFM(4.2 m³/min)
Noise: 40dB
Ozone plate: 104x50mm/6pcs

Product size: 260x180x205mm
Packing size: 335x285x255mm
N. W. /G. W.: 4.5KGS/5.8KGS

Application for water: over 2000 square feet
Loading Qty: (20' /40' /40HQ: 1200/2600/2800PCS)

Display details



26

HE-158P

Ventilation system ozone generator

14000mg ozone output,
With Ventilating Exhaust Fan in front of machine, special for ventilating system using, 3 hours timer
HIGH-LOW adjuster, Low level for 7g/hr, High level for 14g/hr
2pcs high quality ozone plate. (More than 6000 hours)

Features:
With Ventilating Exhaust Fan, connect the pipe/duct, easy to install and clean
Special for large space purify, more powerful and durable.
Heat sink to reduce the heat on the ozone plate, for longer working time
Utilizing controlled corona discharge ozone technology developed
All inner terminals are stainless steel cabinet, with Timer protect box and switch protect box.
Stainless steel pre-filter to remove large particle
High quality electronic parts, UL listed fan



black+silver



back side

Power consumption: 220W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 200CFM(4.8 m³/min)
Noise: 40dB
Ozone plate: 90x110mm/2pcs

Product size: 470x250x260mm
Packing size: 520x340x305mm
N. W. /G. W.: 9.7KGS/11.20KGS

Application Area: over 1500 square feet
Loading Qty: (20' /40' /40HQ: 550/1150/1300PCS)

27

HE-150Q

Multi-purpose 600mg plastic water and air ozone generator

Deodorizer sterilizer , wall mounted or desk-top

Features:
Portable design, mini and compact convenient to use anywhere.
Digital display, water proof touch screen
1 minute to 99 minutes timer, adjustable according to using condition.
Modular design, very lower maintenance.
Working in a natural way, no chemicals.

Applications:
Kill bacteria on all surfaces and tablewares, Eliminates pesticides and agricultural chemicals in fruits vegetables and meat etc.
Remove harmful gas, such as formaldehyde, toluene, smoke, and painting
Suitable for home, office, kitchen, restaurant, hospital, industrial and so on.

4 Disinfection and purification:

For Vegetable and Fruit mode: 10 minutes working
For Meat mode: 15 minutes working
For Purify mode: 20 minutes working
For STER mode: 25 minutes working

With 1 pc silicone tube and air stone, for water applications, place the air stone in the water to be ozonated



black



black+silver

Power consumption: 10W
Input voltage: 110-120V/220-240V/50-60Hz
Ozone output: 600mg/hour
Timer: 1- 99 minutes
Air pump: 5L/min

Product size: 198x139x62mm
Packing size: 280x180x80mm (1pc/ctn)
Packing size: 370x300x20mm (10pcs/ctn)
N. W. /G. W.: 0.8KGS/1.0KGS

Application for water: 300L
Application for air: 250 square feet
Loading Qty: (20' /40' /40HQ: 3000/6500/7000PCS)

28

HE-150W

2000mg water and air ozone generator

Portable multi-purpose water and air purifier, Deodorizer sterilizer
Mini and compact, steady and reliable
With one meter silicone tube and 2 air stones for water treatment

Features:

Both for water and air treatment
Portable Design: Mini and compact, convenient to use anywhere
2G ozone tube with stainless steel electrode, stable and high performance
3 hours timer to control purification time.
Air feed and built-in air pump: 10L/min
For water applications, place the air stone in the water to be ozonated



black+silver



backside

Power consumption: 55W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 80 CFM (2.24m³/min)
Ozone output: 2000mg/hour
Timer: 3 hour timer

Ozone tube: 2G ozone tube/ 1pc
Air pump: 10L/min
Product size: 225x110x188mm
Packing size: 270x170x235mm
N. W./G. W.: 2.5KG/3.0KG

Application for water: 2000 L
Application for air: 500 square feet
Loading Qty: (20'/40'/40HQ): 3000/6500/7000PCS

HE-145


5000MG Digital Adjusted Ozone generator for water & air treatment

5000mg ozone output, 135 minutes timer
with silicone tube and 2 air stones for water treatment
Color optional: black, blue and orange

Features:

Six grades ozone output, max for 5000mg
Timer can be set according to requirement from 15 mins to 135 mins (9 levels)
High-purity 5G ozone tube and high purity silicon rubber material
With manual buttons and remote control for easy operation
Delay Designed, after turn off the machine, the fan will delay one minute to cool the machine

Function details:



black



orange



blue

Power consumption: 100W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM(3 m³/min)
Ozone output: 5000mg/hour
Ozone tube: 5G ozone tube/1pc

Air pump air flow: 10L/MIN
Remote Control/Manual: 19-32ft. (6-10m)
Product size: 160x320x260mm
Packing size: 390x250x350mm
N. W./G. W.: 5.1KG/5.6KG

Application for water: 5000 L
Application for air: 1000 square feet
20GP/40GP/40HQ: 1000/2100/2500PCS

HE-140D

200~5000MG portable Ozone generator for water & air treatment Stainless steel cabinet and handle

5000mg ozone output, 3 hours timer
with hose and nozzle to connect the ozone generator for water purify
With one meter silicone tube and 2 air stones for water treatment

Features:

Large fan with better air flow
Powerful, low noise level, portable, and easy maintenance
High quality SS304 cabinet and stainless steel handle, High quality electronic parts, UL listed fan
5G ozone tube, the latest technology of ozone generation with very long lifespan
Adjustable ozone output from 200-5000mg per hour



stainless steel



back side

Power consumption: 100W
Input voltage: 110-120V/220-240V/50-60Hz
Air flow Volume: 106 CFM(3 m³/min)
Ozone output: 200-5000mg/hour
Ozone tube: 5G ozone tube/1pc

Air pump air flow: 10L/MIN
Product size: 150x310x265mm
Packing size: 360x230x315mm
N. W./G. W.: 4.7KG/5.5KG

Application for water: 5000 L
Application for air: 1000 square feet
20GP/40GP/40HQ: 1000/2100/2500PCS

Parts & Accessories



Part No.	Part Name	Size(mm)	Application models
PN001	99.9% true HEPA filter	196*162.5*27.5mm	HE-250, HE-223, HE-220, HE-221
PN002	Activated Carbon filter	196*162.5*15.5mm	HE-250, HE-223, HE-220
PN003	Photo-catalytic filter	196*162.5*6mm	HE-250, HE-223, HE-220
PN004	UV light	15*135mm, ø15	HE-250, HE-223, HE-220
PN005	180mg ozone plate	115*115mm	HE-250, HE-223, HE-221
PN006	360mg ozone plate	165*115mm	HE-110, HE-120, HE-130
PN007	3500mg ozone plate	90*50mm	HE-150, HE-141
PN008	5000mg ozone plate	90*70mm	HE-151, HE-151N, HE-153, HE-143
PN009	7000mg ozone plate	90*110mm	HE-152, HE-154, HE-144
PN010	4000mg ozone module	95*50mm	HE-150HG DC12V
PN011	4000mg ozone module	95*50mm	HE-150R
PN012	7000mg ozone module	95*70mm	HE-152R
PN013	silicone tube with air stones	1.2 meter	HE-150W, HE-140, HE-145
PN014	AC Adapter for 110-240V	12V, 4A	HE-150HG